



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Wed, 24 Jan 2007, 12:02:48 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display



Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|------------|--|
| <u>#1</u> | (((block <and> event <and> handler)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |
| <u>#2</u> | (((unblock <and> event <and> handler)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |
| <u>#3</u> | (((suspend <and> event <and> handler)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |
| <u>#4</u> | (((wait <and> event <and> handler)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |
| <u>#5</u> | (((event <and> handler)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |
| <u>#6</u> | (((event <and> handler)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |
| <u>#7</u> | (((event <and> handler)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |
| <u>#8</u> | (((event <and> handler)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |
| <u>#9</u> | (((event <and> handling)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |
| <u>#10</u> | (((event <and> handling)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |
| <u>#11</u> | (((event <and> handling <and> synchronous)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |
| <u>#12</u> | (((signal <and> handler)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1998) |



Indexed by
 Inspect

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

block <and> signal <and> event <and> operat

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 1 - 10 of about 1,200,000 for **block <and> signal <and> event <and> operating <and> system**.

Introduction To Unix Signals Programming

Signals are usually used by the **operating system** to notify processes that some **event** occurred, without these processes needing to poll for the **event**. ...

www.actcom.co.il/~choo/lupg/tutorials/signals/signals-programming.html - 35k -

[Cached](#) - [Similar pages](#)

Railway signalling - Wikipedia, the free encyclopedia

Timetable and train order **operation** was commonly used on American railroads until the ...

In a permissive **block system** trains are permitted to pass **signals** ...

en.wikipedia.org/wiki/Railway_signalling - 59k - [Cached](#) - [Similar pages](#)

Asynchronous I/O - Wikipedia, the free encyclopedia

A great many **operating system** functions exist to implement asynchronous I/O ... The **signal** handler is usually not able to issue further asynchronous I/O by ...

en.wikipedia.org/wiki/Asynchronous_I/O - 30k - [Cached](#) - [Similar pages](#)

The Event Completion Framework for the Solaris Operating System

Block until a single **event** appears on the port */ port_get(portfd, ... Several other **operating systems** have implemented an **event** completion framework, ...

developers.sun.com/solaris/articles/event_completion.html - 46k - [Cached](#) - [Similar pages](#)

[PDF] Simulink block library for fast prototyping of reconfigurable DSP ...

File Format: PDF/Adobe Acrobat

Operate on and produce **signal and event** inputs ... Mixed time and **event-driven operation** ... **operating systems** (RTOS) from their Matlab/Simulink model ...

ieeexplore.ieee.org/iel5/8989/28530/01275835.pdf - [Similar pages](#)

Version 1.2 (R2006b) SimEvents :: SimEvents Release Notes (SimEvents)

Preemptive **Operating System** with Two Levels of Priority ... The **Signal-Based Event** to Function-Call **Event block** can delay its generation of a function call ...

www.mathworks.com/access/helpdesk/help/toolbox/simevents/rn/bqq6wmn-1.html - 21k -

[Cached](#) - [Similar pages](#)

The MathWorks - MATLAB Digest - July 2004 - Recommendations for ...

This causes the output **signal** of the **block** to be 0 in the **operating** point. ... The linearization of triggered subsystems and other **event-based** models can be ...

www.mathworks.com/company/newsletters/digest/july04/linmodels.html - 39k -

[Cached](#) - [Similar pages](#)

Programmer's Reference

Mixing platform-specific and Common File **System** operations ... Widget **event** handling and callbacks · Example of using an **event** handler and a callback ...

www.instantiations.com/VAST/Docs/pr/stpr02.htm - 56k - [Cached](#) - [Similar pages](#)

Chapter 8. FXRuby's Message-Target System

The last form uses a code **block** as the handler for the timeout **event**: ... **Operating system signal** handlers are designated by calling FXApp#addSignal. ...

www.fxruby.org/doc/events.html - 13k - [Cached](#) - [Similar pages](#)

System and method for efficiently blocking event signals ...

In order to **block** certain **event signals** from occurring, the program sends a **system** call to the **operating system** requesting the **operating system** to **block** a ...

www.freepatentsonline.com/6658486.html - 48k - [Cached](#) - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

unblock <and> signal <and> event <and> oper

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 1 - 10 of about **982,000** for **unblock <and> signal <and> event <and> operating <and> system****System and method for efficiently blocking event signals ...**

A blocking **system** intercepts communications between a software program and an **operating system** in order to handle blocking and **unblocking** of **event signals**.

www.freepatentsonline.com/6658486.html - 48k - [Cached](#) - [Similar pages](#)

Superlocking vehicle door lock/unlock system - Patent 5965953

Otherwise, the door lock/**unlock system** may provide a super lock **signal** (S/L) irrespective of the number of times of **operation** of the key in the **event** where ...

www.freepatentsonline.com/5965953.html - 52k - [Cached](#) - [Similar pages](#)

Signal (computing) - Wikipedia, the free encyclopedia

When an **signal** is sent to a process, the **operating system** interrupts the ... The sigprocmask() call can be used to block and **unblock** delivery of **signals**. ...

[en.wikipedia.org/wiki/Signal_\(computing\)](http://en.wikipedia.org/wiki/Signal_(computing)) - 24k - [Cached](#) - [Similar pages](#)

CS 3733 Operating Systems Notes: Signals

A **signal** is a software notification to a process of an **event**. ... What you need to do: atomically **unblock** the **signal** and suspend the process. ...

vip.cs.utsa.edu/classes/cs3733f2001/notes/Signals.html - 17k - [Cached](#) - [Similar pages](#)

MCS 470/725, Operating Systems Workshop, Lecture 08

A **signal** is generated by an **event** like control-C typed at the keyboard, ... used to atomically **unblock** the **signal** and wait for the delivery of the **signal**. ...

www.mcs.drexel.edu/~shartley/MCS470/Lectures/lec08.html - 6k - [Cached](#) - [Similar pages](#)

[PDF] Real-time Systems SMD138

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The multi-**event**-loop pattern. Ideally we would like a parking **operation** that waits for ...

Mutexes use the name lock for wait, and **unlock** for **signal** ...

www.sm.luth.se/csee/courses/smd/138/lecture13.pdf - [Similar pages](#)

System Abstraction Layer

This library provides abstraction of **operating system** services to application ... The **event** will remain in **signal** state until reset() method will be called. ...

www.garret.ru/~knizhnik/SAL/ReadMe.htm - 41k - [Cached](#) - [Similar pages](#)

(S) - Operating system calls, library routines

siginterrupt: allow **signals** to interrupt **system** calls. sigismember: test if a **signal** is in the ...

unlockpt: **unlock** a pseudo-terminal master/slave pair ...

osr5doc.ca.caldera.com:457/man/html.S/CONTENTS.html - 208k - [Cached](#) - [Similar pages](#)

Interprocess Communication (Programming Perl)

Certain events cause the **operating system** to deliver a **signal** to the affected process. The handler corresponding to that **event** is called with one argument ...

www.unix.org.ua/oreilly/perl/prog3/ch16_01.htm - 28k - [Cached](#) - [Similar pages](#)

QNX Developer Support

QNX Software **Systems**. Realtime **operating system** software, ... An attempt to **unblock** these **signals** via the sigprocmask() function or SignalProcmask() kernel ...

www.qnx.com/developer/docs/momentics621_docs/neutrino/sys_arch/kernel.html - 158k -
[Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google



Welcome United States Patent and Trademark Office

☐ Search Results

[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)
Results for "(((blocking <and> event <and> signal)<in>metadata)) <and> (pyr >= 1950 &I..." ☒ e-mail

Your search matched 52 of 1476571 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

View: 1-

- ☐ 1. **Modelling moving-block railway signalling systems using discrete-event**
Hill, R.J.; Bond, L.J.;
[Railroad Conference, 1995., Proceedings of the 1995 IEEE/ASME Joint](#)
4-6 April 1995 Page(s):105 - 111
Digital Object Identifier 10.1109/RRCON.1995.395162
[AbstractPlus](#) | Full Text: [PDF](#)(588 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **A front end electronic design with sliding ADC channels and X-Y decoder sensitive scintillator block array**
Wai-Hoi Wong; Guoji Hu; Weizhao Lu; Hicks, K.; Uribe, J.;
[Nuclear Science Symposium and Medical Imaging Conference Record, 1995.,](#)
Volume 2, 21-28 Oct. 1995 Page(s):1031 - 1035 vol.2
Digital Object Identifier 10.1109/NSSMIC.1995.510441
[AbstractPlus](#) | Full Text: [PDF](#)(364 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Block encoding with continuous phase modulation**
Fonseka, J.P.;
[Communications, IEEE Transactions on](#)
Volume 42, Issue 12, Dec. 1994 Page(s):3069 - 3072
Digital Object Identifier 10.1109/26.339823
[AbstractPlus](#) | Full Text: [PDF](#)(264 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Nonlinear multipulse block coding of CPFSK signals**
Fonseka, J.P.;
[Communications, IEEE Transactions on](#)
Volume 43, Issue 10, Oct. 1995 Page(s):2561 - 2568
Digital Object Identifier 10.1109/26.469444
[AbstractPlus](#) | Full Text: [PDF](#)(684 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **A VME barrel shifter system for event reconstruction for up to 3 Gbps sig**
Sasaki, O.; Nomachi, M.; Ohsaka, T.K.; Fujii, H.;
[Nuclear Science, IEEE Transactions on](#)
Volume 40, Issue 4, Part 1-2, Aug 1993 Page(s):603 - 606
Digital Object Identifier 10.1109/23.256625

[AbstractPlus](#) | [Full Text: PDF\(368 KB\)](#) IEEE JNL
[Rights and Permissions](#)

6. **Markov models for block code error control systems on fading RF channels**
Oosthuizen, D.R.; Ferreira, H.C.; Swarts, F.;
[Communications and Signal Processing, 1989. COMSIG 1989. Proceedings...](#)
[Conference on](#)
23 June 1989 Page(s):1 - 6
Digital Object Identifier 10.1109/COMSIG.1989.129006
[AbstractPlus](#) | [Full Text: PDF\(356 KB\)](#) IEEE CNF
[Rights and Permissions](#)
7. **Nonlinear multi-pulse block coding of CPFSK signals**
Fonseka, J.P.;
[Communications, 1994. ICC 94. SUPERCOMM/ICC '94. Conference Record...](#)
[Through Communications. IEEE International Conference on](#)
1-5 May 1994 Page(s):369 - 373 vol.1
Digital Object Identifier 10.1109/ICC.1994.368989
[AbstractPlus](#) | [Full Text: PDF\(320 KB\)](#) IEEE CNF
[Rights and Permissions](#)
8. **A VME barrel shifter system for event reconstruction for up to 3 Gbps signals**
Sasaki, O.; Nomachi, M.; Ohsaka, T.K.; Fujii, H.;
[Nuclear Science Symposium and Medical Imaging Conference, 1992. Conference](#)
[the 1992 IEEE](#)
25-31 Oct. 1992 Page(s):511 - 513 vol.1
Digital Object Identifier 10.1109/NSSMIC.1992.301314
[AbstractPlus](#) | [Full Text: PDF\(220 KB\)](#) IEEE CNF
[Rights and Permissions](#)
9. **Block coded modulation on the Rician fading channel**
Paravalos, E.;
[Communications, Computers and Signal Processing, 1993. IEEE Pacific Rim](#)
[Volume 1, 19-21 May 1993 Page\(s\):301 - 304 vol.1](#)
Digital Object Identifier 10.1109/PACRIM.1993.407164
[AbstractPlus](#) | [Full Text: PDF\(316 KB\)](#) IEEE CNF
[Rights and Permissions](#)
10. **Front end electronics for a variable field PET camera using the PMT-quadrant detector array design**
Wai-Hoi Wong; Guoji Hu; Nan Zhang; Uribe, J.; Junming Wang; Hongdi Li; Wei
Baghaei, H.; Yokoyama, S.;
[Nuclear Science Symposium, 1996. Conference Record, 1996 IEEE](#)
[Volume 2, 2-9 Nov. 1996 Page\(s\):1320 - 1324 vol.2](#)
Digital Object Identifier 10.1109/NSSMIC.1996.591688
[AbstractPlus](#) | [Full Text: PDF\(476 KB\)](#) IEEE CNF
[Rights and Permissions](#)
11. **Analysis of the pairwise error probability of noninterleaved codes on the channel**
Van Nobelen, R.; Taylor, D.P.;
[Communications, IEEE Transactions on](#)
Volume 44, Issue 4, April 1996 Page(s):456 - 463
Digital Object Identifier 10.1109/26.489092
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(736 KB\)](#) IEEE JNL
[Rights and Permissions](#)
12. **Asynchronous interaction in massively parallel computing**
Varshavsky, V.L.;

Algorithms and Architectures for Parallel Processing, 1995. ICAPP 95. IEEE F
IEEE First International Conference on
 Volume 2, 19-21 April 1995 Page(s):951 - 953 vol.2
 Digital Object Identifier 10.1109/ICAPP.1995.472302
[AbstractPlus](#) | Full Text: [PDF](#)(152 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **13. Modeling study of activation and propagation delays during stimulation of nerve fibers with a tripolar cuff electrode**
 Goodall, E.V.; Kosterman, L.M.; Holsheimer, J.; Struijk, J.J.;
Rehabilitation Engineering, IEEE Transactions on [see also IEEE Trans. on Ne
Rehabilitation]
 Volume 3, Issue 3, Sept. 1995 Page(s):272 - 282
 Digital Object Identifier 10.1109/86.413200
[AbstractPlus](#) | Full Text: [PDF](#)(1108 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **14. Analytical performance evaluation of trellis coded modulation for mobile channels**
 Molnar, B.D.; Hassan, A.A.; Saulnier, G.;
Vehicular Technology Conference, 1996. 'Mobile Technology for the Human R
 Volume 2, 28 April-1 May 1996 Page(s):1351 - 1355 vol.2
 Digital Object Identifier 10.1109/VETEC.1996.501533
[AbstractPlus](#) | Full Text: [PDF](#)(336 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **15. On renewal inner channels and block code error control outer channels**
 Oosthuizen, D.R.; Ferreira, H.C.; Swarts, F.;
Global Telecommunications Conference, 1989, and Exhibition. 'Communicatio
the 1990s and Beyond'. GLOBECOM '89, IEEE
 27-30 Nov. 1989 Page(s):1703 - 1707 vol.3
 Digital Object Identifier 10.1109/GLOCOM.1989.64234
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **16. A concatenated decoding scheme for (1-D) partial response with matched coding**
 Knudson, K.J.; Wolf, J.K.; Milstein, L.B.;
Global Telecommunications Conference, 1993, including a Communications T
Conference. Technical Program Conference Record, IEEE in Houston. GLOBI
 29 Nov.-2 Dec. 1993 Page(s):1960 - 1964 vol.3
 Digital Object Identifier 10.1109/GLOCOM.1993.318406
[AbstractPlus](#) | Full Text: [PDF](#)(484 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **17. ESD protective I/O serpentine block design**
 Soohoo, K.M.; Wu, C.-Y.;
Electromagnetic Compatibility, 1991. Symposium Record. IEEE 1991 Internati
on
 12-16 Aug. 1991 Page(s):261 - 262
 Digital Object Identifier 10.1109/ISEMC.1991.148231
[AbstractPlus](#) | Full Text: [PDF](#)(96 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **18. Bandwidth efficient coding for fading channels: code construction and p analysis**
 Schlegel, C.; Costello, D.J., Jr.;
Selected Areas in Communications, IEEE Journal on
 Volume 7, Issue 9, Dec. 1989 Page(s):1356 - 1368
 Digital Object Identifier 10.1109/49.44581

[AbstractPlus](#) | Full Text: [PDF\(960 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **19. Depth encoding multocrystal detectors for PET**
Murayama, H.; Ishibashi, I.; Uchida, H.; Omura, T.; Yamashita, T.;
[Nuclear Science, IEEE Transactions on](#)
Volume 45, Issue 3, Part 2, June 1998 Page(s):1152 - 1157
Digital Object Identifier 10.1109/23.681994
[AbstractPlus](#) | Full Text: [PDF\(572 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **20. A depth encoding in multocrystal detector for PET**
Murayama, H.; Ishibashi, H.; Uchida, H.; Omura, T.; Yamashita, T.;
[Nuclear Science Symposium, 1997. IEEE](#)
Volume 2, 9-15 Nov. 1997 Page(s):1037 - 1041 vol.2
Digital Object Identifier 10.1109/NSSMIC.1997.670487
[AbstractPlus](#) | Full Text: [PDF\(496 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **21. Complete state encoding based on the theory of regions**
Cortadella, J.; Kishinevsky, M.; Kondratyev, A.; Lavagno, L.; Yakovlev, A.;
[Advanced Research in Asynchronous Circuits and Systems, 1996. Proceeding](#)
[International Symposium on](#)
18-21 March 1996 Page(s):36 - 47
Digital Object Identifier 10.1109/ASYNC.1996.494436
[AbstractPlus](#) | Full Text: [PDF\(1192 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **22. A switched capacitor circuit simulator: AWESwit**
Trihy, R.J.; Rohrer, R.A.;
[Solid-State Circuits, IEEE Journal of](#)
Volume 29, Issue 3, March 1994 Page(s):217 - 225
Digital Object Identifier 10.1109/4.278343
[AbstractPlus](#) | Full Text: [PDF\(720 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **23. Single event effects and performance predictions for space applications processors**
Kimbrough, J.R.; Colella, N.J.; Denton, S.M.; Shaeffer, D.L.; Shih, D.; Wilburn, P.G.; Casteneda, C.; Koga, R.; Clark, D.A.; Ullmann, J.L.;
[Nuclear Science, IEEE Transactions on](#)
Volume 41, Issue 6, Part 1, Dec 1994 Page(s):2706 - 2714
Digital Object Identifier 10.1109/23.340637
[AbstractPlus](#) | Full Text: [PDF\(636 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **24. A contribution in partial discharge detection**
Carminati, E.; Lazzaroni, M.;
[Instrumentation and Measurement Technology Conference, 1997. IMTC/97. P](#)
[Sensing, Processing, Networking, IEEE](#)
Volume 1, 19-21 May 1997 Page(s):501 - 506 vol.1
Digital Object Identifier 10.1109/IMTC.1997.604000
[AbstractPlus](#) | Full Text: [PDF\(424 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **25. An architectural trade capability using the Ptolemy kernel**
Pauer, E.K.; Prime, J.B.;
[Acoustics, Speech, and Signal Processing, 1996. ICASSP-96. Conference Proc](#)
[IEEE International Conference on](#)

Volume 2, 7-10 May 1996 Page(s):1252 - 1255 vol. 2
Digital Object Identifier 10.1109/ICASSP.1996.543594

[AbstractPlus](#) | Full Text: [PDF\(692 KB\)](#) IEEE CNF
[Rights and Permissions](#)

View: 1-

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –